

# SEDAZINE - A.C.P. PASTE

## ORAL TRANQUILISER FOR HORSES AND CATTLE



### DESCRIPTION

An aid in quietening excitable, nervous, unruly or hard to handle horses and cattle.

### ACTIVE INGREDIENTS

9UW %a ``V&bHJ]bg'5Wdfca Un]bY'a U'YUH'f57Dk' %&a [ ''

### KEY BENEFITS/PROPERTIES

- GYXUn]bY'5"7"D]g'U'safe option to prescribe to inexperienced owners or for those who would prefer to avoid giving injectable acepromazine when direct veterinary supervision is not possible.
- Oral acepromazine is a less traumatic option for the horse to avoid the stress of injection in "needle shy" or skittish horses.
- Formulated in a convenient, pleasant flavoured paste.

### MODE OF ACTION

Central nervous system depression and sedative. As a phenothiazine derivative, tranquilisation is achieved by blocking of the dopamine receptors in the brain.

### INDICATIONS

H\Y'dUghY'dfYgYbUH]cb'WUb'gUZY'mVY'dfYgW]VYX' Zc'ck bYf'UXa ]b]ghfUH]cb'hc'gYH'iY'YI V]HUV'Y' Ub]a U'g'Zc'f'hfU]b]b[ z'\UbX' ]b[ z'hfUbgdcfh'UbX' fci h]bY'a UbU[ Ya Yb'hdfcWXi fYg'cf'Zc'f'Ugg]gh]b[ j YHYf]bUf]Ubgz'hfU]bYfgz'ghi Xg'UbX' owners.

### CONTRAINDICATIONS

- Do not administer to breeding stallions.

### WITHHOLDING PERIOD

Meat: Cattle - 72 hours. Horses - 63 days.  
Milk: 70 milkings (35 days).

### DOSAGE/ADMINISTRATION

0.13-0.26mg/kg.  
Horses: 4mL - 10mL per 450kg bodyweight.  
Cattle: 5mL - 10mL per 450kg bodyweight. As directed by a veterinary surgeon.  
For best results, administer on an empty stomach.

Allow 1-2 hours for peak effect.

### STORAGE

Store below 30°C.

### PRESENTATION

30ml dial-a-dose syringe.

Sedazine A.C.P. paste is a Restricted Veterinary Medicine. Available only under Veterinary Authorisation. Registered pursuant to the ACVM Act 1997, No. A003854. See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.