

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: MilPro Film-Coated Tablets for Dogs

Product Use: Broad spectrum wormer Restriction of Use: Refer to Section 15

New Zealand Supplier: Virbac New Zealand Limited

Address: 26 – 30 Maui Street Pukete, Hamilton

Telephone: +64 7 849 6782

Customer Service Toll no: 0800 VIRBAC (0800 847 222) (Mon-Fri 8:30am to 4:30pm)

Emergency No: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 27 September 2021

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020.

EPA Approval No: Veterinary Medicines (Limited Pack Size, Finished dose) – HSR100757

Pictograms





Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement	
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.	
Hazardous to the aquatic environment acute/chronic Cat. 1	H400/410	Very toxic to aquatic life with long lasting effects.	

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe dust, fumes, gas, mist, vapours or spray.
P273	Avoid release to the environment.

Response Code	Response Statement	
P101	If medical advice is needed, have product container or label at hand.	

P314	Get medical advice/attention if you feel unwell.
P391	Collect spillage.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement	
P501	Dispose of according to Local Regulations or Authorities	

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Milbemycin Oxime	1-2	129496-10-2
Praziquantel	18-20	55268-74-1
Microcrystalline cellulose	40-45	9004-34-6
Starch	5-8	9005-25-8
Not triggering or non-hazardous	To bal	
ingredients		

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

If on Skin Wash skin immediately with water. In case of irritation, seek medical

advice.

If Swallowed If product is swallowed or gets in mouth wash mouth with water. If

symptoms develop, or if in doubt contact a Poisons Information Centre or

a doctor.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: May cause damage to organs through prolonged or repeated exposure.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable	
Hazards from products	A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke. In the event of a fire, the following may be formed: Carbon dioxide Carbon monoxide	
Suitable	In case of fire, use carbon dioxide, multipurpose ABC	
Extinguishing media	powder, foam or sprayed water or mist. Do not use water jet.	
Precautions for firefighters and special protective clothing	Wear protective gear.	
HAZCHEM CODE	2Z	

Section 6. Accidental Release Measures

Wear sufficient respiratory protection where necessary and protective clothing to minimize skin exposure. Evacuate all non-essential personnel.

Prevent any material from entering drains or waterways.

If possible, contain the spill. Place inert absorbent such as vermiculite, sand or dirt onto material. Dispose of in compliance with local and/or national regulations as per Section 13.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Do not breathe dust, fumes, gas, mist, vapours or spray.
- Wash hands thoroughly after handling.
- Avoid release to the environment.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep out of reach of children.
- Keep away from food and drink, including those for animals.
- Store below 30°C away from light and moisture.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance		TWA ppm	mg/m³	STEL ppm	mg/m³
Cellulose (pape	r fibre) [9004-34-6]	-	10	-	-
Starch	[9005-25-8]	-	10	-	-

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2020 12TH EDITION.

Engineering Controls

None required.

Personal Protection Equipment







Eyes	Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.
Skin	Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374. Gloves must be selected according to the application and duration of use.
Respiratory	Avoid breathing dust. Wear a disposable half-mask dust filter in accordance with standard EN149.
Hygiene	After contact with the product, all parts of the body that have been soiled must be washed.

Section 9	Physical and Chemical Properties

Appearance	Beige to brown Solid in granules.
Aspect	Coated tablet
Odour	Not available
Odour Threshold	Not available
pH	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Combustibility	Not available
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	Not available
Water Solubility	Dilutable
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	Stable under normal conditions of use and storage.	
Possibility of hazardous	Not available	
reactions		
Conditions to Avoid	Formation of dusts. Dusts can form an explosive mixture with	
	air.	
Incompatible Materials	No specific materials to avoid.	
Hazardous Decomposition	The thermal decomposition may release/form:	
Products	carbon monoxide (CO)	
	carbon dioxide (CO2)	

Section 11 **Toxicological Information**

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated
	exposure.

Milbemycin oxime

Product Name: MilPro Film-Coated Tablets for Dogs

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz Date of SDS: 27 September 2021

Oral: LD50 = 100 mg/kg (rat) Dermal: LD50 > 2000 mg/kg (rat) Inhalation: LC50 = 1220 mg/l (rat)

Praziquantel

Oral: LD50 = 2840 mg/kg (rat)

Section 12. Ecotoxicological Information

Very toxic to aquatic life with long lasting effects.

Product:	
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

Acute fish toxicity:

Milbemycin oxime LC50 = 0.059 mg/l

Duration of exposure: 96 h

NOEC = 0.059 mg/l

Factor M = 1

Species: Cyprinus carpio

Mixture

Acute fish toxicity No observed effect. LC50 = 2.98 mg/l

Species: Cyprinus carpio Duration of exposure: 96 h

Chronic fish toxicity Highly toxic.

LC50 <= 1 mg/l

Species: Cyprinus carpio

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Preferably dispose of product by use in accordance with label directions. Otherwise dispose of product at an approved landfill, or other approved facility in accordance with local, regional and national regulations. Avoid contamination of any water supply with product.

Precautions or methods to avoid: Do not allow to enter waterways.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



Road, Rail, Sea and Air Transport

UN No	3077
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S

Marine Pollutant	Yes	
Special Provisions	If the product's individual container is below 5L/kg, it can be	
	transported as a non-DG as long as the product packaging is still	
	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Veterinary Medicines (Limited Pack Size, Finished dose) – HSR100757

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	100kg
Emergency Response Plan	100kg
Secondary Containment	100kg
Restriction of Use	Only use for the intended purpose.
ACVM Approval No	A011305
See <u>www.foodsafety.govt.nz</u> for registration	
Conditions	

Section 16 Other Information

01		
(TI	oss	arv

Cat Category

EC50 Median effective concentration.
EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

 LC_{50} Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2020 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-

date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 27 September 2021 Review Date: 27 September 2026